

L Number	Hits	Search Text	DB	Time stamp
1	387	713/193.ccls. and @ad<20000309	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 11:07
2	1014	symmetric and key\$5 and encrypt\$5 and random and block\$5 and cipher\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 11:21
4	410	(symmetric and key\$5 and encrypt\$5 and random and block\$5 and cipher\$5) and @ad<20000309	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 11:07
3	12	(713/193.ccls. and @ad<20000309) and (symmetric and key\$5 and encrypt\$5 and random and block\$5 and cipher\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 11:12
5	1074	"block cipher"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 11:08
6	3	((713/193.ccls. and @ad<20000309) and (symmetric and key\$5 and encrypt\$5 and random and block\$5 and cipher\$5)) and "block cipher"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 11:08
7	2910	(symmetric or single or one or private or conventional) and key\$5 and encrypt\$5 and random and block\$5 and cipher\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 12:43
9	7401937	plaintext or message or signal or data or email or mail or stream or code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 11:14
10	6367361	fill\$5 or add\$5 or enter\$5 or append\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 11:42
11	6880011	divid\$5 or break\$5 or segment\$5 or block\$5 or piec\$5 or field\$5 or byte or bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 11:14
12	4890358	redundant\$ or fill\$5 or spac\$5 or empty or irrelavent\$5 or unimportant\$5 or blank\$5 or unrelat\$5 or uninterest\$5 or void\$5 or worthless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 11:15
13	4183537	data or byte or bit or information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 11:15
14	6482031	predetermin\$5 or equal\$5 or set or setting or configur\$%	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 11:15
15	5902112	length or siz\$5 or measur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/31 11:16

16	8166565	generat\$5 or fabricat\$5 or calculat\$5 or select\$5 or determin\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:16
17	569559	random\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:17
18	7187384	number\$5 or amount\$5 or key\$5 or sequenc\$5 or ID or ident\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:18
19	4512808	feedback\$ or result\$5 or outcom\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:18
20	6721217	feed\$3 or fed or provid\$5 or given or give	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:18
21	5476	encrypt\$5 and cipher\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:18
22	66316	encrypt\$5 or cipher\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:18
23	41060	(divid\$5 or break\$5 or segment\$5 or block\$5 or piec\$5 or field\$5 or byte or bit) with (plaintext or message or signal or data or email or mail or stream or code) with (predetermin\$5 or equal\$5 or set or setting or configur\$%) with (length or siz\$5 or measur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:46
24	2027731	(fill\$5 or add\$5 or enter\$5 or append\$5) with (redundant\$ or fill\$5 or spac\$5 or empty or irrelavent\$5 or unimportant\$5 or blank\$5 or unrelat\$5 or uninterest\$5 or void\$5 or worthless)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:43
25	58337	(generat\$5 or fabricat\$5 or calculat\$5 or select\$5 or determin\$5) with random\$ with (number\$5 or amount\$5 or key\$5 or sequenc\$5 or ID or ident\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:25
26	639	((divid\$5 or break\$5 or segment\$5 or block\$5 or piec\$5 or field\$5 or byte or bit) with (plaintext or message or signal or data or email or mail or stream or code) with (predetermin\$5 or equal\$5 or set or setting or configur\$%) with (length or siz\$5 or measur\$5)) and ((fill\$5 or add\$5 or enter\$5 or append\$5) with (redundant\$ or fill\$5 or spac\$5 or empty or irrelavent\$5 or unimportant\$5 or blank\$5 or unrelat\$5 or uninterest\$5 or void\$5 or worthless)) and ((generat\$5 or fabricat\$5 or calculat\$5 or select\$5 or determin\$5) with random\$ with (number\$5 or amount\$5 or key\$5 or sequenc\$5 or ID or ident\$5)) and @ad<20000309	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:44

27	8667	((feedback\$ or result\$5 or outcom\$5) with (feed\$3 or fed or provid\$5 or given or give)) and (encrypt\$5 or cipher\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:28
28	63	((divid\$5 or break\$5 or segment\$5 or block\$5 or piec\$5 or field\$5 or byte or bit) with (plaintext or message or signal or data or email or mail or stream or code) with (predetermin\$5 or equal\$5 or set or setting or configur\$%) with (length or siz\$5 or measur\$5)) and ((fill\$5 or add\$5 or enter\$5 or append\$5) with (redundant\$ or fill\$5 or spac\$5 or empty or irrelavent\$5 or unimportant\$5 or blank\$5 or unrelat\$5 or uninterest\$5 or void\$5 or worthless)) and ((generat\$5 or fabricat\$5 or calculat\$5 or select\$5 or determin\$5) with random\$ with (number\$5 or amount\$5 or key\$5 or sequenc\$5 or ID or ident\$5)) and @ad<20000309) and (((feedback\$ or result\$5 or outcom\$5) with (feed\$3 or fed or provid\$5 or given or give)) and (encrypt\$5 or cipher\$5))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:44
29	23	(symmetric and key\$5 and encrypt\$5 and random and block\$5 and cipher\$5) and (((divid\$5 or break\$5 or segment\$5 or block\$5 or piec\$5 or field\$5 or byte or bit) with (plaintext or message or signal or data or email or mail or stream or code) with (predetermin\$5 or equal\$5 or set or setting or configur\$%) with (length or siz\$5 or measur\$5)) and ((fill\$5 or add\$5 or enter\$5 or append\$5) with (redundant\$ or fill\$5 or spac\$5 or empty or irrelavent\$5 or unimportant\$5 or blank\$5 or unrelat\$5 or uninterest\$5 or void\$5 or worthless)) and ((generat\$5 or fabricat\$5 or calculat\$5 or select\$5 or determin\$5) with random\$ with (number\$5 or amount\$5 or key\$5 or sequenc\$5 or ID or ident\$5)) and @ad<20000309) and (((feedback\$ or result\$5 or outcom\$5) with (feed\$3 or fed or provid\$5 or given or give)) and (encrypt\$5 or cipher\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:29
30	6786495	fill\$5 or add\$5 or enter\$5 or append\$5 or pad or padding or buffer\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:43
31	2076762	(fill\$5 or add\$5 or enter\$5 or append\$5 or pad or padding or buffer\$5) with (redundant\$ or fill\$5 or spac\$5 or empty or irrelavent\$5 or unimportant\$5 or blank\$5 or unrelat\$5 or uninterest\$5 or void\$5 or worthless)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:45

32	660	((divid\$5 or break\$5 or segment\$5 or block\$5 or piec\$5 or field\$5 or byte or bit) with (plaintext or message or signal or data or email or mail or stream or code) with (predetermin\$5 or equal\$5 or set or setting or configur\$%) with (length or siz\$5 or measur\$5)) and ((fill\$5 or add\$5 or enter\$5 or append\$5 or pad or padding or buffer\$5) with (redundant\$ or fill\$5 or spac\$5 or empty or irrelavent\$5 or unimportant\$5 or blank\$5 or unrelat\$5 or uninterest\$5 or void\$5 or worthless)) and ((generat\$5 or fabricat\$5 or calculat\$5 or select\$5 or determin\$5) with random\$ with (number\$5 or amount\$5 or key\$5 or sequenc\$5 or ID or ident\$5)) and @ad<20000309	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:45
33	23	((divid\$5 or break\$5 or segment\$5 or block\$5 or piec\$5 or field\$5 or byte or bit) with (plaintext or message or signal or data or email or mail or stream or code) with (predetermin\$5 or equal\$5 or set or setting or configur\$%) with (length or siz\$5 or measur\$5)) and ((fill\$5 or add\$5 or enter\$5 or append\$5 or pad or padding or buffer\$5) with (redundant\$ or fill\$5 or spac\$5 or empty or irrelavent\$5 or unimportant\$5 or blank\$5 or unrelat\$5 or uninterest\$5 or void\$5 or worthless)) and ((generat\$5 or fabricat\$5 or calculat\$5 or select\$5 or determin\$5) with random\$ with (number\$5 or amount\$5 or key\$5 or sequenc\$5 or ID or ident\$5)) and @ad<20000309 and (((feedback\$ or result\$5 or outcom\$5) with (feed\$3 or fed or provid\$5 or given or give)) and (encrypt\$5 or cipher\$5)) and (symmetric and key\$5 and encrypt\$5 and random and block\$5 and cipher\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:46
36	0	6199162.URPN.	USPAT	2004/08/31 12:34
39	0	6189095.URPN.	USPAT	2004/08/31 12:35
42	3	6182216.URPN.	USPAT	2004/08/31 12:35
45	34	4933969.URPN.	USPAT	2004/08/31 12:37
46	1	6351539.URPN.	USPAT	2004/08/31 12:39
47	6	5796839.URPN.	USPAT	2004/08/31 12:41
48	2499	((symmetric or single or one or private or conventional) with key\$5) and encrypt\$5 and random and block\$5 and cipher\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:44
49	37188	random with sequenc\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:44
50	286	((symmetric or single or one or private or conventional) with key\$5) and encrypt\$5 and random and block\$5 and cipher\$5) and (random with sequenc\$5) and @ad<20000309	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:44
51	17611	(713/\$.ccls. or 380/\$.ccls.) and @ad<20000309.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:45
52	243	((symmetric or single or one or private or conventional) with key\$5) and encrypt\$5 and random and block\$5 and cipher\$5) and (random with sequenc\$5) and @ad<20000309) and ((713/\$.ccls. or 380/\$.ccls.) and @ad<20000309)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:39

53	26	((((symmetric or single or one or private or conventional) with key\$5) and encrypt\$5 and random and block\$5 and cipher\$5) and (random with sequenc\$5) and @ad<20000309) and ((713/\$.ccls. or 380/\$.ccls.) and @ad<20000309)) and ((divid\$5 or break\$5 or segment\$5 or block\$5 or piec\$5 or field\$5 or byte or bit) with (plaintext or message or signal or data or email or mail or stream or code) with (predetermin\$5 or equal\$5 or set or setting or configur\$%) with (length or siz\$5 or measur\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:46
54	41	4078152.URPN.	USPAT	2004/08/31 12:48
57	2	("6504931").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:40